



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

CEREBROSPINAL MENINGITIS.

Connecticut.

Collaborating Epidemiologist Black reported that during the period from February 1 to March 17, 1917, 61 cases of cerebrospinal meningitis were notified in the State of Connecticut.

Minnesota.

Collaborating Epidemiologist Bracken reported that during the week ended March 17, 1917, 19 cases of cerebrospinal meningitis, with 4 deaths, were notified in Minnesota as follows: Benton County, Langola Township, boy 5 years old, sick February 23. Blue Earth County, Mankato, farmer, sick March 5, died March 10. Freeborn County, Moscow Township, farmer, sick March 2. Hennepin County, Brooklyn, girl 5 years old, sick March 7; Minneapolis, city clerk, sick March 12; girl 2 years old, sick March 10; laborer, sick March 8; woman cook, sick March 5; boy 3 years old, sick March 9; boy 8 months old, sick March 13; janitor, sick March 9, died March 10; farmer, sick February 24; barber, sick March 1; schoolgirl 12 years old, sick March 1, died March 3; schoolboy 7 years old, sick February 16. Richfield, girl 6 years old, sick March 6. Ramsey County, St. Paul, boy 2 months old, sick March 7, died March 14; boy 14 months old, sick March 11. St. Louis County, Duluth, child 5 years old, sick March 8. Making a total of 52 cases, with 20 deaths, reported since December 26, 1917.

State Reports for February, 1917.

Place.	New cases reported.	Place.	New cases reported.
Massachusetts:		West Virginia:	
Bristol County—		Harrison County.....	1
Fall River.....	1	Marion County.....	1
New Bedford.....	1	Ohio County.....	3
Essex County—		Randolph County.....	1
Beverly.....	1	Total.....	6
Lynn.....	1		
Middlesex County—		Wisconsin:	
Lowell.....	1	Milwaukee County.....	2
Suffolk County—		Outagamie County.....	1
Boston.....	3	Vernon County.....	1
Worcester County—		Washburn County.....	1
Milford Town.....	1	Total.....	5
Total.....	9		

City Reports for Week Ended Mar. 3, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Alameda, Cal.....	1	New Haven, Conn.....	1
Birmingham, Ala.....	1	New York, N. Y.....	12	4
Bridgeport, Conn.....	1	Omaha, Neb.....	3	1
Buffalo, N. Y.....	1	Orange, N. J.....	1
Chicago, Ill.....	4	1	Philadelphia, Pa.....	10	5
Cleveland, Ohio.....	8	Pittsburgh, Pa.....	1
Dubuque, Iowa.....	1	1	Providence, R. I.....	1
Duluth, Minn.....	1	Reading, Pa.....	1
El Paso, Tex.....	1	Rochester, N. Y.....	1
Hartford, Conn.....	6	St. Louis, Mo.....	4	2
Kansas City, Kans.....	2	St. Paul, Minn.....	1
Kansas City, Mo.....	3	2	Schenectady, N. Y.....	1
Lowell, Mass.....	1	Trenton, N. J.....	1

DIPHTHERIA.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 439.

ERYSIPELAS.

City Reports for Week Ended Mar. 3, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Akron, Ohio.....	3	Los Angeles, Cal.....	3
Ann Arbor, Mich.....	3	Milwaukee, Wis.....	6	2
Baltimore, Md.....	2	Newark, N. J.....	9	1
Boston, Mass.....	2	New Castle, Pa.....	1
Brockton, Mass.....	1	New York, N. Y.....	10
Buffalo, N. Y.....	5	2	Niagara Falls, N. Y.....	1
Chicago, Ill.....	42	4	Omaha, Neb.....	1	1
Cincinnati, Ohio.....	2	Philadelphia, Pa.....	7	4
Cleveland, Ohio.....	7	1	Pittsburgh, Pa.....	11	1
Duluth, Minn.....	1	Quincy, Ill.....	1
Erie, Pa.....	1	Richmond, Va.....	1
Evansville, Ind.....	1	Rochester, N. Y.....	2
Flint, Mich.....	1	St. Louis, Mo.....	16	5
Harrisburg, Pa.....	2	St. Paul, Minn.....	6
Hartford, Conn.....	2	San Francisco, Cal.....	6	2
Jackson, Mich.....	1	Somerville, Mass.....	1
Kalamazoo, Mich.....	1	Troy, N. Y.....	1	1
Kansas City, Mo.....	2	Williamsport, Pa.....	1

LEPROSY.

Louisiana—New Orleans Parish.

During the month of February, 1917, 3 cases of leprosy were notified in New Orleans Parish, La.

New Jersey—Jersey City.

During the month of February, 1917, 1 case of leprosy was notified in Jersey City, N. J.

City Report for Week Ended Mar. 3, 1917.

During the week ended March 3, 1917, one case of leprosy was reported in New Orleans, La.

MALARIA.**State Reports for February, 1917.**

Place.	New cases reported.	Place.	New cases reported.
Maryland: Charles County— Waldorf, R. F. D.	1	Massachusetts—Continued. Suffolk County— Boston.....	1
Massachusetts: Hampshire County— Amherst Town.....	1	Total.....	2

City Reports for Week Ended Mar. 3, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Cincinnati, Ohio.....	1	Newark, N. J.	1
Fall River, Mass.....	1	New Orleans, La.....	1	1

MEASLES.**California—Los Angeles.**

Senior Surg. Brooks reported that during the week ended March 10, 1917, 253 cases of measles were notified in Los Angeles, Cal. Two hundred and ten cases were reported during the previous week.

Washington—Seattle.

Surg. Lloyd reported that during the 14 days ended March 10, 1917, 291 cases of measles with 4 deaths, were notified in Seattle, Wash., making a total of 7,087 cases, with 17 deaths, reported since February 15, 1916.

See also Diphtheria, measles, scarlet fever, and tuberculosis, page 439.

PELLAGRA.**District of Columbia Report for February, 1917.**

During the month of February, 1917, one case of pellagra was reported in the District of Columbia.

City Reports for Week Ended Mar. 3, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Buffalo, N. Y.	1	Oklahoma City, Okla.....	1
Charleston, S. C.....	1	Washington, D. C.....	1

PLAGUE.**Hawaii—Paauilo.**

Surg. Trotter reported the occurrence of a fatal case of plague in man at Paauilo, Hawaii, March 7, 1917.

PNEUMONIA.

City Reports for Week Ended Mar. 3, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Allentown, Pa.....	3	Medford, Mass.....	1
Baltimore, Md.....	34	27	Newark, N. J.....	99	22
Binghamton, N. Y.....	6	1	New Castle, Pa.....	4
Birmingham, Ala.....	1	9	Norristown, Pa.....	2
Braddock, Pa.....	5	Oakland, Cal.....	7	2
Chicago, Ill.....	361	157	Pasadena, Cal.....	1
Cincinnati, Ohio.....	1	9	Philadelphia, Pa.....	187	91
Cleveland, Ohio.....	54	42	Pittsburgh, Pa.....	65	40
Coffeyville, Kans.....	1	Reading, Pa.....	1	1
Detroit, Mich.....	24	12	Rochester, N. Y.....	10	5
Dubuque, Iowa.....	2	2	Sacramento, Cal.....	2
Duluth, Minn.....	16	Saginaw, Mich.....	1	1
Flint, Mich.....	1	San Diego, Cal.....	2	2
Grand Rapids, Mich.....	5	1	Sandusky, Ohio.....	1
Harrison, N. J.....	2	San Francisco, Cal.....	19	9
Jackson, Mich.....	3	2	Schenectady, N. Y.....	2
Kalamazoo, Mich.....	5	3	Toledo, Ohio.....	1	7
Kansas City, Mo.....	17	31	Topeka, Kans.....	1	3
Lancaster, Pa.....	6	Wichita, Kans.....	3
Lexington, Ky.....	5	11	Wilmington, N. C.....	2	3
Lima, Ohio.....	1	1	York, Pa.....	1
Los Angeles, Cal.....	2	5			

POLIOMYELITIS (INFANTILE PARALYSIS).

State Reports for February, 1917.

Place.	New cases reported.	Place.	New cases reported.
Maryland:		West Virginia—Continued.	
Baltimore County—		Marion County—	
Gittings.....	1	Fairmont.....	7
Govans.....	1	Mingo County—	
Total.....	2	Williamson.....	1
Massachusetts:		Preston County—	
Essex County—		Eglen.....	1
Beverly.....	1	Randolph County—	
Suffolk County—		Evenwood.....	1
Boston.....	1	Total.....	13
Total.....	2	Wisconsin:	
West Virginia:		Kenosha County.....	1
Berkeley County.....	1	Portage County.....	1
Harrison County—		Vernon County.....	1
Norwood.....	1	Total.....	3
Lewis County—			
Bennett.....	1		

City Reports for Week Ended Mar. 3, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Boston, Mass.....	1	Newark, N. J.....	1
Cleveland, Ohio.....	1	New Britain, Conn.....	1
Detroit, Mich.....	1	New York, N. Y.....	2
Lowell, Mas.....	1	Providence, R. I.....	1
Manchester, N. H.....	7	7	South Bend, Mich.....	2

SCARLET FEVER.

Scarlet fever has been unusually prevalent during the last two or three months in the city of Detroit, where there was reported a total of 1,740 cases between January 6 and March 17. The number reported during the week ended March 10 was 257; during the week ended March 17, 327. The disease also seems to be unusually prevalent in other cities of the middle west. In Chicago there were reported 3,248 cases between February 3 and March 17, the number of cases reported during the week ended March 17 being 706; during the previous week, 593.

See also Diphtheria, measles, scarlet fever, and tuberculosis, page 439.

SMALLPOX.**Connecticut.**

Collaborating Epidemiologist Black reported that during the period of 14 days ended March 17, 1917, 58 cases of smallpox were notified in Connecticut as follows: Easton, 1; Fairfield, 2; Hartford, 1; Naugatuck, 4; New London, 3; Newtown, 15; Old Lyme, 2; Stamford, 1; Stonington, 4; Torrington, 4; Waterbury, 19; Watertown, 2.

Minnesota.

Collaborating Epidemiologist Bracken reported that during the week ended March 17, 1917, two new foci of smallpox infection were reported in Minnesota, cases of the disease having been notified as follows: Morrison County, Swan River Township, 1; Redwood County, Gales Township, 1.

Ohio—Springfield.

Surg. Fox reported that during the week ended March 10, 1917, 10 cases of smallpox were notified in Springfield, Ohio, making a total of 53 cases reported since December 26, 1916.

Oklahoma—Oklmulgee County Jail.

Asst. Surg. Slaughter reported that during the week ended March 17, 1917, 5 cases of smallpox occurred among prisoners in the Okmulgee County Jail.

Texas—Galveston.

Surg. Bahrenburg reported that 2 cases of smallpox were notified at Galveston, Tex., 1 on March 17 and 1 on March 20, 1917.

SMALLPOX—Continued.
State Reports for February, 1917.

Place.	New cases reported.	Deaths.	Vaccination history of cases.			
			Number vaccinated within 7 years preceding attack.	Number last vaccinated more than 7 years preceding attack.	Number never successfully vaccinated.	Vaccination history not obtained or uncertain.
Maryland:						
Baltimore City.....	2				2	
Baltimore County— Ruxton.....	1				1	
Total.....	3				3	
Massachusetts:						
Franklin County— Bernardston Town.....	1				1	
Suffolk County— Boston.....	1				1	
Total.....	2				2	
West Virginia:						
Cabell County.....	1					1
Jefferson County.....	1					1
McDowell County.....	1				1	
Raleigh County.....	1					1
Total.....	4				1	3

Wisconsin Report for February, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Wisconsin (Feb. 1-28):			Wisconsin (Feb. 1-28)—Con.		
Calumet County.....	1		Milwaukee County.....	2	
Chippewa County.....	13		Monroe County.....	5	
Dane County.....	2		Price County.....	1	
Douglas County.....	6		Rusk County.....	2	
Dunn County.....	5		Trempealeau County.....	11	
Eau Claire County.....	1		Winnebago County.....	1	
Grant County.....	1		Total.....	53	
Jackson County.....	1				
Marathon County.....	1				

City Reports for Week Ended Mar. 3, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Akron, Ohio.....	2		Marinette, Wis.....	4	
Baltimore, Md.....	3		Milwaukee, Wis.....	1	
Butte, Mont.....	6		Minneapolis, Minn.....	42	
Chicago, Ill.....	2		New Orleans, La.....	21	
Cincinnati, Ohio.....	1		New York, N. Y.....	1	
Cleveland, Ohio.....	17		Oakland, Cal.....	3	
Columbus, Ohio.....	2		Oklahoma City, Okla.....	12	
Covington, Ky.....	1		Omaha, Nebr.....	9	
Danville, Ill.....	5		Rockford, Ill.....	2	
Dubuque, Iowa.....	1		Rocky Mount, N. C.....	1	
Duluth, Minn.....	1		St. Louis, Mo.....	2	
Elgin, Ill.....	1		St. Paul, Minn.....	8	
Flint, Mich.....	6		Salt Lake City, Utah.....	2	
Fort Worth, Tex.....	1	1	San Francisco, Cal.....	10	
Indianapolis, Ind.....	2		Seattle, Wash.....	1	
Kansas City, Mo.....	1		Sioux City, Iowa.....	14	
Kokomo, Ind.....	1		Toledo, Ohio.....		1
La Crosse, Wis.....	1		Topeka, Kans.....	2	
Little Rock, Ark.....	5		Wichita, Kans.....	3	
Los Angeles, Cal.....	2				

TETANUS.

City Reports for Week Ended Mar. 3, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Malden, Mass.....		1	Roanoke, Va.....		1
New Orleans, La.....		1	Waltham, Mass.....		1
Portsmouth, Va.....		1			

TUBERCULOSIS.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 439.

TYPHOID FEVER.

State Reports for February, 1917.

Place.	New cases reported.	Place.	New cases reported.
District of Columbia.....	7	Massachusetts—Continued.	
Maryland:		Essex County—Continued.	
Baltimore City.....	20	Newburyport.....	1
Allegany County—		Peabody Town.....	1
Midland.....	1	Middlesex County—	
Cumberland.....	2	Ayer Town.....	1
Baltimore County—		Cambridge.....	2
Govanstown.....	1	Everett.....	1
Mount Winans.....	1	Lowell.....	2
Arlington.....	4	Natick Town.....	1
Highlandtown.....	1	Somerville.....	1
Carroll County—		Tewksbury.....	1
Westminster.....	1	Norfolk County—	
Garrett County—		Brookline Town.....	1
Kitzmillier.....	1	Quincy.....	1
Bloomington.....	1	Wellesley Town.....	1
Harford County—		Weymouth Town.....	1
Houcks Mill, R. F. D.....	1	Plymouth County—	
Howard County—		Bridgewater Town.....	1
Ellicott City.....	10	Suffolk County—	
Montgomery County—		Boston.....	6
Unity, R. F. D.....	1	Revere.....	1
Boyd's Station, R. F. D.....	1	Worcester County—	
Prince George County—		Gardner Town.....	3
Seat Pleasant.....	1	Milford Town.....	1
Queen Annes County—		Warren Town.....	1
Carmichael, R. F. D.....	1	Winchendon Town.....	1
Barclay, R. F. D.....	5	Worcester.....	1
Church Hill, R. F. D.....	1	Total.....	45
Centerville.....	1		
Somerset County—		Vermont:	
Rehobeth.....	1	Chittenden County.....	1
Wenona.....	1	Franklin County.....	4
Wicomico County—		Rutland County.....	2
Wetpquin.....	1	Windsor County.....	1
Salisbury.....	1	Total.....	8
Total.....	59		
Massachusetts:		West Virginia:	
Barnstable County—		Boone County.....	2
Harwich Town.....	1	Braxton County.....	1
Berkshire County—		Hancock County.....	1
North Adams.....	1	Kanawha County.....	2
Bristol County—		Charleston.....	1
Fall River.....	3	Marshall County.....	1
Mansfield Town.....	1	Marion County.....	6
New Bedford.....	4	Mineral County.....	5
Essex County—		Mingo County.....	2
Amesbury Town.....	2	Monongalia County.....	1
Ipswich Town.....	1	Monroe County.....	1
Lawrence.....	1	Putnam County.....	1
Lynn.....	1	Raleigh County.....	2
		Ritchie County.....	1

TYPHOID FEVER—Continued.

State Reports for February, 1917—Continued.

Place.	New cases reported.	Place.	New cases reported.
West Virginia—Continued.		Wisconsin—Continued.	
Roane County.....	1	Lafayette County.....	1
Summers County.....	3	Manitowoc County.....	1
Upshur County.....	2	Milwaukee County.....	9
Webster County.....	2	Outagamie County.....	1
Wetzel County.....	13	Racine County.....	3
Total.....	49	Rusk County.....	1
Wisconsin:		Sauk County.....	1
Dodge County.....	2	Sheboygan County.....	1
Douglas County.....	5	Taylor County.....	1
Dunn County.....	1	Washburn County.....	1
La Crosse County.....	1	Washington County.....	1
		Total.....	30

City Reports for Week Ended Mar. 3, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Alameda, Cal.....	2		New London, Conn.....	1	
Albany, N. Y.....	3		New Orleans, La.....	2	2
Allentown, Pa.....	1		Newton, Mass.....	1	
Baltimore, Md.....	7	3	New York, N. Y.....	17	4
Beaver Falls, Pa.....	4		Norfolk, Va.....		1
Berkeley, Cal.....	1		Oakland, Cal.....	1	
Birmingham, Ala.....	1		Omaha, Nebr.....		1
Braddock, Pa.....	1		Philadelphia, Pa.....	6	2
Buffalo, N. Y.....	6	2	Pittsburgh, Pa.....	10	3
Charleston, S. C.....	3		Portland, Me.....	1	1
Chicago, Ill.....	7	1	Portland, Oreg.....	1	1
Cincinnati, Ohio.....	1		Richmond, Va.....	1	
Cleveland, Ohio.....	4	1	Saginaw, Mich.....	2	1
Cumberland, Md.....	1	1	St. Louis, Mo.....	4	1
Detroit, Mich.....	1	1	St. Paul, Minn.....	1	
Dubuque, Iowa.....	1		Salt Lake City, Utah.....	1	
Duluth, Minn.....	1		San Diego, Cal.....		1
Fort Worth, Tex.....	1		San Francisco, Cal.....	1	1
Galveston, Tex.....	1		Seattle, Wash.....	1	
Grand Rapids, Mich.....	3	1	South Bend, Ind.....	3	
Jackson, Mich.....	1		Springfield, Ill.....		1
Lima, Ohio.....	1		Toledo, Ohio.....	2	
Long Branch, N. J.....	1		Trenton, N. J.....	1	
Los Angeles, Cal.....	4		Troy, N. Y.....	2	1
Lowell, Mass.....	1	1	Washington, D. C.....	1	
Milwaukee, Wis.....	2	3	Wilkes-Barre, Pa.....	1	1
Minneapolis, Minn.....	1		Wilkesburg, Pa.....	2	
New Bedford, Mass.....	1		Wilmington, Del.....	2	
New Castle, Pa.....	3		Worcester, Mass.....	2	

TYPHUS FEVER.

Texas.

Senior Surg. Pierce reported that during the period of 14 days ended March 10, 1917, 3 new cases of typhus fever were notified at El Paso, Tex., making a total of 69 cases reported on the Mexican border since July 1, 1916. During the two weeks period ended March 10, 1917, 79,010 persons were inspected. Of this number 9,469 were disinfected for destruction of vermin, and 3,433 were vaccinated. One person was refused admission for refusing disinfection, and 53 were refused admission because of illness.

PREVENTABLE DISEASES.

Massachusetts Report for Week Ended Mar. 3, 1917.

	Cases reported.		Cases reported.
Cerebrospinal meningitis.....	1	Scarlet fever.....	173
Chicken pox.....	211	Septic sore throat.....	5
Diphtheria.....	178	Tetanus.....	1
German measles.....	66	Trachoma.....	1
Malaria.....	1	Tuberculosis (pulmonary).....	184
Measles.....	653	Tuberculosis (other forms).....	17
Ophthalmia neonatorum.....	44	Typhoid fever.....	11
Poliomyelitis.....	2	Whooping cough.....	49

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.

State Reports for February, 1917.

State.	New cases reported.			State.	New cases reported.		
	Diphtheria.	Measles.	Scarlet fever.		Diphtheria.	Measles.	Scarlet fever.
District of Columbia.....	48	207	43	Vermont.....	27	1,161	217
Maryland.....	138	758	131	West Virginia.....	55	931	47
Massachusetts.....	783	2,193	597	Wisconsin.....	223	352	924

City Reports for Week Ended Mar. 3, 1917.

City.	Popula- tion as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.		
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	
Over 500,000 inhabitants:											
Baltimore, Md.	589,621	228	9	1	56	10	1	20	41	
Boston, Mass.	756,476	269	78	5	123	47	5	53	22	
Chicago, Ill.	2,497,722	886	204	21	677	10	576	24	133	80	
Cleveland, Ohio.	674,073	235	50	1	101	1	28	44	23	
Detroit, Mich.	571,784	251	3	1	189	1	24	
Los Angeles, Cal.	503,812	144	41	210	8	57	25	
New York, N. Y.	5,602,841	1,733	281	27	615	15	168	2	578	206	
Philadelphia, Pa.	1,709,518	774	110	12	89	2	2	1	90	82	
Pittsburgh, Pa.	579,090	256	15	1	118	1	11	35	10	
St. Louis, Mo.	757,309	288	97	5	515	7	64	1	69	30	
From 300,000 to 500,000 inhabit- ants:											
Buffalo, N. Y.	468,558	185	17	8	1	12	30	16	
Cincinnati, Ohio.	410,476	131	19	3	25	17	27	14	
Jersey City, N. J.	306,345	15	7	20	18	
Milwaukee, Wis.	436,535	122	16	1	19	119	4	15	11	
Minneapolis, Minn.	363,454	17	11	32	
Newark, N. J.	408,894	138	16	1	59	24	47	14	
New Orleans, La.	371,747	21	5	200	3	42	21	
San Francisco, Cal.	463,516	168	23	3	435	3	58	51	22	
Seattle, Wash.	348,339	56	1	173	3	2	11	4	
Washington, D. C.	363,080	151	7	72	12	14	14	
From 200,000 to 300,000 inhabit- ants:											
Columbus, Ohio.	214,878	74	3	2	109	4	8	10	4	
Denver, Colo.	260,800	58	3	414	4	5	7	
Indianapolis, Ind.	271,708	4	76	8	10	
Kansas City, Mo.	297,847	19	4	181	101	1	11	10	
Portland, Oreg.	295,463	46	4	189	1	20	5	6	
Providence, R. I.	254,960	17	4	3	2	12	3	6	
Rochester, N. Y.	256,417	77	6	1	15	1	44	9	5	
St. Paul, Minn.	247,232	46	5	35	13	12	4	

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS— Continued.

City Reports for Week Ended Mar. 3, 1917—Continued.

City.	Popula- tion as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 100,000 to 200,000 inhabit- ants:										
Albany, N. Y.	104,199		2		2		5		9	
Birmingham, Ala.	181,762	76	3	1	289	4	3		7	6
Bridgeport, Conn.	121,579	40	8		9		2		7	2
Cambridge, Mass.	112,981	137	15		29		7		8	3
Camden, N. J.	106,233		4		2		2		4	
Fall River, Mass.	128,366	52	1		100	2	1	1	18	3
Fort Worth, Tex.	104,562	20	2		89		1		1	
Grand Rapids, Mich.	128,291	40			92		11		2	2
Hartford, Conn.	110,900	55	6	1	3		4		4	1
Lawrence, Mass.	100,560	25	4	1	1		1	1	4	3
Lowell, Mass.	113,245	47	9	1	15		4		4	1
Lynn, Mass.	102,425	19					2		3	3
Nashville, Tenn.	117,057	48	2	1	82		1		5	5
New Bedford, Mass.	118,158	50			18		1		7	5
New Haven, Conn.	149,685		3		24				2	
Oakland, Cal.	198,604				64	3	8		9	
Omaha, Nebr.	165,470	45	6		9		34		34	3
Reading, Pa.	109,381	32	2	1	4		1		1	1
Richmond, Va.	156,687	62	3		111		3		4	6
Salt Lake City, Utah.	117,399	27	1		34		17			1
Springfield, Mass.	105,942	28	8	1	15		8		13	4
Syracuse, N. Y.	155,624	53	5		71	1	30		10	3
Toledo, Ohio.	191,554	84	4	1	14		82	3	1	10
Trenton, N. J.	111,593	39	5		2				9	1
Worcester, Mass.	163,314	65	5		4		15		11	2
From 50,000 to 100,000 inhabit- ants:										
Akron, Ohio.	85,625		16		48		3			
Allentown, Pa.	63,505	17	5				1		1	
Atlantic City, N. J.	57,660	6			71				5	
Bayonne, N. J.	69,893				1		4		3	
Berkeley, Cal.	57,653	8	1		15	1	3		3	1
Binghamton, N. Y.	53,973	26	8	3	18		17		1	2
Brockton, Mass.	67,449	17			2		4		2	2
Canton, Ohio.	60,852	20			3		2		1	
Charleston, S. C.	60,734	29								2
Covington, Ky.	57,144	16	1						2	2
Duluth, Minn.	94,495		9		9		3		5	
Elizabeth, N. J.	86,690	37	5		2		6		5	3
El Paso, Tex.	63,705	46		1	9					9
Erie, Pa.	75,195		1		6		4		12	41
Evansville, Ind.	76,078	23			32				2	2
Flint, Mich.	54,772	19	10		1		16		6	1
Harrisburg, Pa.	72,015	16	3		2		1		3	1
Hoboken, N. J.	77,214	15	1		2		9		10	2
Johnstown, Pa.	68,529	27		1	9		1		2	
Kansas City, Kans.	99,437		1		7		13			
Lancaster, Pa.	50,853		1		19		18		1	
Little Rock, Ark.	57,343	14			55				2	
Malden, Mass.	51,155	13	2		2				2	1
Manchester, N. H.	78,283	27	1	1					3	3
Mobile, Ala.	58,221	27	2	1	25		1		4	2
New Britain, Conn.	53,794				1		5		6	1
Norfolk, Va.	89,612				67		3		1	2
Oklahoma City, Okla.	92,943	21			109	2	3			
Passaic, N. J.	71,744	24	1				2		4	3
Pawtucket, R. I.	59,411	19	2				1			1
Portland, Me.	63,867	21	3		1					1
Rockford, Ill.	55,185	16	1		4					2
Sacramento, Cal.	66,895	20			4		1		4	1
Saginaw, Mich.	55,642	23			2		16		1	1
San Diego, Cal.	53,330				10		3		2	2
Schenectady, N. Y.	99,519	20	1		73		4		6	4
Sioux City, Iowa.	57,078						7			
Somerville, Mass.	87,039	21	6		5		5	1	2	
South Bend, Ind.	68,946	20	1				34			1
Springfield, Ill.	61,120	30	2		10		1			2
Troy, N. Y.	77,916		3	3	122		5		11	2
Wichita, Kans.	70,722		1		116		1		2	2
Wilkes-Barre, Pa.	76,776	24	5	2	2				2	3
Wilmington, Del.	94,265	38					1			
York, Pa.	51,656		3						2	

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS— Continued.

City Reports for Week Ended Mar. 3, 1917—Continued.

City.	Popula- tion as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 25,000 to 50,000 inhabitants:										
Alameda, Cal.	27,732	4	1		5		8		1	1
Auburn, N. Y.	37,385	10	1		2		2			3
Brookline, Mass.	32,730	16	1		5		1		1	
Butler, Pa.	27,632	8	2						10	1
Butte, Mont.	43,425	31	5	1	23	1	2	1		
Chelsea, Mass.	46,192	17			3				6	2
Chicopee, Mass.	29,319	14	4				2		1	1
Cumberland, Md.	26,074	5			2					
Danville, Ill.	32,261	16			5				2	2
Davenport, Iowa	48,811		1				2			
Dubuque, Iowa	39,873		1		3		5		1	1
East Orange, N. J.	42,458	6	1		4		1		1	1
Elgin, Ill.	28,203	7			38		7			1
Everett, Mass.	39,235	7			1					
Everett, Wash.	35,486	2								
Fitchburg, Mass.	41,781	10	4	1	4		4		5	1
Galveston, Tex.	41,863	14								
Haverhill, Mass.	48,477		4		15		1		7	2
Jackson, Mich.	35,363	19	9	2	35		7		1	1
Kalamazoo, Mich.	48,886	18			2		1		3	
Kenosha, Wis.	31,576	13	4	1						1
Kingston, N. Y.	26,771	10								1
Knoxville, Tenn.	38,676		1		12				1	
La Crosse, Wis.	31,677	17	1				6	1	1	1
Lexington, Ky.	41,097	25	3	1	48		1			3
Lima, Ohio	35,384	15	1				4			1
Lorain, Ohio	36,964		1		1		2		2	
Lynchburg, Va.	32,940	10			19				3	2
Madison, Wis.	30,099	3					8			
Medford, Mass.	26,234	8			42		3		1	2
Montclair, N. J.	26,318	9			4					
Nashua, N. H.	27,327	9			11		2			
Newburgh, N. Y.	29,003	16	1						2	3
New Castle, Pa.	41,133		3		2					
Newport, Ky.	31,927	10	1						3	3
Newport, R. I.	30,108	8	1		2		3			2
Newton, Mass.	43,715	13	2		29		3		1	
Niagara Falls, N. Y.	37,353	19	3	1	1				7	
Norristown, Pa.	31,401	13								1
Ogden, Utah.	31,404	5	2		12		5			
Orange, N. J.	33,080	8	2		6		2			
Pasadena, Cal.	46,450	26			5					
Perth Amboy, N. J.	41,185						1		2	
Pittsfield, Mass.	38,629	12	1				1			
Portsmouth, Va.	39,651	11			23		3			2
Quincy, Ill.	36,798	9					2			5
Quincy, Mass.	38,136	14	1		1		1		1	1
Racine, Wis.	46,486	13	2						1	1
Roanoke, Va.	43,284	17			92	1	2		2	
San Jose, Cal.	38,902				4				1	
Steubenville, Ohio.	27,445	12								1
Superior, Wis.	46,226	12	3				1			
Taunton, Mass.	36,283	17	2		2				2	2
Topeka, Kan.	48,726	18	2		51				9	
Waltham, Mass.	30,570	9	1	1	1					
West Hoboken, N. J.	43,139		1				1		3	2
Wheeling, W. Va.	43,377	21			6				1	1
Williamsport, Pa.	33,809		1		22		2		9	
Wilmington, N. C.	29,892	15			20					2
Winston-Salem, N. C.	31,155	15			40		4		3	1
Zanesville, Ohio.	30,863	15								1
From 10,000 to 25,000 inhabitants:										
Ann Arbor, Mich.	15,010	13	1		2		6		3	2
Beaver Falls, Pa.	13,532				1					
Braddock, Pa.	21,686		1						1	
Cairo, Ill.	15,794	5			65					1
Clinton, Mass.	13,075	3			1					
Coffeyville, Kans.	17,548		1		1					
Concord, N. H.	22,669	12	1	1	4		1			

¹Population Apr. 15, 1910; no estimate made.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS— Continued.

City Reports for Week Ended Mar. 3, 1917—Continued.

City.	Popula- tion as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 10,000 to 25,000 inhabit- ants—Continued.										
Galesburg, Ill.	24,276		1							
Harrison, N. J.	16,950		1						1	
Kearney, N. J.	23,539	9							1	1
Kokomo, Ind.	20,930	8	2		6		1		1	
Long Branch, N. J.	15,395	4	1		1					
Morristown, N. J.	13,284	4					1			
Muscatine, Iowa	17,500	2			18		1			2
Nanticoke, Pa.	23,126	8	2						2	
Newburyport, Mass.	15,243	4			20				1	
New London, Conn.	20,985	10			3		1			2
North Adams, Mass.	22,019	4	1						2	
Northampton, Mass.	19,926	9	1		8		2		1	1
Plainfield, N. J.	23,805	7	1							
Rocky Mount, N. C.	12,067	2			3				2	
Rutland, Vt.	14,831	5	1		4		7			
Sandusky, Ohio.	20,193	10			2		2		1	
Saratoga Springs, N. Y.	13,821	4								
Steelton, Pa.	15,548	5			1				3	1
Wilkinsburg, Pa.	23,228	13	1		4					
Woburn, Mass.	15,969	3								

¹ Population Apr. 15, 1910, no estimate made.